

B5  
Cont

DNA39427-1179	ATCC 209395	October 17, 1997
DNA40603-1232	ATCC 209486	November 21, 1997
DNA43466-1225	ATCC 209490	November 21, 1997
DNA43046-1225	ATCC 209484	November 21, 1997
DNA35668-1171	ATCC 209371	October 16, 1997
DNA77624-2515	ATCC 203553	December 22, 1998--

---

In the Claims:

Please cancel claim 48, without prejudice.

Please amend claims 39-44 as follows:

---

39. (Once amended) An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

B6  
I wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

40. (Once amended) An isolated polypeptide having at least 85% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

41. (Once amended) An isolated polypeptide having at least 90% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

42. (Once amended) An isolated polypeptide having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

43. (Once amended) An isolated polypeptide having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

44. (Once amended) An isolated polypeptide comprising:

36  
37  
CMT  
(a) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290);

(b) the amino acid sequence of the polypeptide shown in Figure 102 (SEQ ID NO: 290), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 102 (SEQ ID NO: 290); or

(d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209927,

wherein said polypeptide induces proliferation of stimulated lymphocytes in a mixed lymphocyte reaction.

---